# SAFETY DATA SHEET

# ICC 757 Ghost Haze Remover™

#### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

Product Name: ICC 757 Ghost Haze Remover

Manufacturer: INTERCONTINENTAL CHEMICAL CORPORATION

Address: 4660 Spring Grove Avenue, Cincinnati, OH USA 45232-1995 Emergency Phone: 513-541-7100 (business hours 8am-5pm Eastern Time)

Chemtrec Phone: 800-424-9300 (after business hours) Ref. CCN 11409

Fax Phone: 513-541-6880
Chemical Family: Alkaline cleaner
Product Use: Ghost / Haze Remover

#### **SECTION 2: HAZARDS IDENTIFICATION**

DANGER: Hazard Category Hazard Classification

Corrosive to Metals
Eye Damage / Irritation
Skin Corrosion / Irritation

2 Specific Target Organ Toxicity (Single Exposure)

Germ Cell Mutagenic
Flammable Liquids
Acute Toxicity - Oral
Acute Toxicity - Dermal
Acute Toxicity - Inhalation

#### PICTOGRAM AND HAZARD STATEMENTS









May cause damage to kidneys and lungs. Suspect of causing genetic defects. Flammable liquid and vapor. Causes severe skin burns and eye damage. May be corrosive to metal. Harmful if inhaled. Harmful if swallowed. Harmful in contact with skin.

#### **PREVENTION**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash thoroughly after handling.

Do not breathe dust, fume, gas, mist, vapors, or spray.

Do not eat, drink or smoke when handling this product.

Wear protective gloves, protective clothing, eye, and face protection.

Keep only in original container. Use only in well ventilated area.

Keep away from heat, sparks, open flames and hot surfaces.

Keep container tightly closed.

Ground or bond container and receiving equipment.

Use explosion-proof electrical, ventilating, and lighting equipment.

Use only non-sparking tools. Take precautionary measures against static discharge.

#### **RESPONSE**

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with plenty of water or shower.

Wash contaminated clothing before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice or attention.

Immediately call a doctor or Poison Control center, if you feel unwell.

In case of fire use water spray to extinguish. Absorb spillage to prevent material damage.

STORAGE: Store in corrosive resistant container. Store in well ventilated place. Keep cool. Keep locked up.

DISPOSAL: Dispose in accordance with local, state and federal regulations.

Page 1 of 4

Effective 5/27/2015

#### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

ICC 757 is a proprietary product; the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Ingredient :CyclohexanoneSodium HydroxideAdditivesCAS#108-94-11310-73-2ProprietaryWeight %<40</td>Approximately 15>45

#### **SECTION 4: FIRST AID MEASURES**

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If on skin or hair: Immediately take off all contaminated clothing. Rinse skin with plenty of water or shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Immediately call a doctor or Poison Control center, if you feel unwell.

Likely Routes of Exposure: Eyes, skin, ingestion and inhalation.

Most Important Symptoms And Effects, Both Acute And Delayed:

May cause severe eye and skin burns and tissue damage. Overexposure and/or ingestion may cause damage to respiratory tract, digestive tract, kidneys and lungs. One item showed negative Ames test while human fibroplast

showed mutagenic effects.

Acute Health Hazard Symptoms:

Eyes: May cause severe irritation, burns and/or permanent injury.
Skin: May cause severe irritation, burns and/or tissue damage.
Ingestion: May cause irritation, burns to mouth, throat and digestive tract.

Inhalation: May cause irritation, burns to nose, throat and respiratory tract. Prolonged exposure may lead to CNS depression.

Acute Health Hazards: Corrosive to skin, eyes and mucous membranes.

Chronic Health Hazards: Prolonged or repeated exposure has been reported to cause kidney and liver damage based on animal test data.

Chronic Effects: No data available

### **SECTION 5: FIRE-FIGHTING MEASURES**

Flammable Limits in Air, (% By Volume): UPPER: Not determined. LOWER: Not determined.

Flash Point: Greater than 108°F. or 42.2°C. Method Used: Pensky-Martens (PMCC)

Autoignition Temperature: Not determined.

NFPA 704 Standard: HEALTH: 2 FLAMMABILITY: 2 INSTABILITY: 0

Extinguishing Media: Water spray.
Special Fire Fighting Procedures: Keep containers cool.

Unusual Fire And Explosion Hazards: None known.

Hazardous Decomposition Products: Possible smoke, alkaline fumes, carbon monoxide, carbon dioxide

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Spills may be neutralized with sodium bicarbonate and collected on absorbent material for proper disposal. Eliminate all sources of ignition in the vicinity.

#### **SECTION 7: HANDLING AND STORAGE**

Close containers when not in use; do not contaminate; rinse container before disposal, do not reuse. If stored outdoors, use protective covering. Store at ambient temperature.

## ICC 757 Ghost Haze Remover™

Continued

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

COMPONENTS WITH EXPOSURE LIMITS:

Cyclohexanone Sodium Hydroxide

CAS No. 108-94-1 1310-73-2 % Weight <40 15 **OSHA PEL-TWA** 25 ppm (skin) N.E. OSHA PEL CEILING N.E. 2.0 mg/m3 ACGIH TLV-TWA 20 ppm (skin) N.E. **ACGIH TLV-STEL** 50 ppm (skin) N.E.

ACGIH TLV CEILING N.E. = Not Established N.E. 2.0 mg/m3

**Engineering Controls:** As required to provide normal air flow. Ventilation: Local exhaust is recommended.

Respiratory Protection: Under normal use conditions a respirator should not be necessary, subject to local plant regulations; however, under

conditions of excessive airborne concentrations, a NIOSH-approved respirator for organic vapors is recommended.

Safety glasses or splash-proof goggles/face shield recommended. Eye Protection: Skin Protection: Chemical resistant gloves; latex or neoprene recommended. Other Protective Gear: Proper apparel to prevent unnecessary exposure to personnel.

Work Hygienic Practice: Normal plant procedures. Wash hands upon leaving work area. Launder clothes before reuse.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Light tan-brown viscous liquid or slurry

Odor: Cyclohexanone Odor threshold: No data available Greater than 13

Melting/freezing point: Not applicable / not determined

Initial boiling point and boiling range: 230°F. or 110°C. 108°F. or 42.4°C. Flash point: Evaporation rate (water = 1): Less than 2 Flammability: No data available

Upper/lower flammability or explosive limits: No data available

Vapor pressure: Less than 4 mmHg @68°F or 20°C. Vapor density: Less than 5 @ 20°C. / 68°F.

Relative density: 1.14 (9.51 Lbs/Gallon or 1140 grams/Liter)

Solubility: Complete Partition coefficient; n-octanol water: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available

Greater than 5,000 cps @ 77°F., (25°C.) Viscosity:

### **SECTION 10: STABILITY AND REACTIVITY**

Stability: Stable Reactivity: Low

Conditions to Avoid: Extreme temperatures Incompatibility (Material to Avoid): Acidic material, soft metals

Hazardous Decomposition or By-Products: Possible smoke, alkaline fumes, carbon monoxide, Carbon Dioxide

Hazardous Polymerization: Cannot occur Conditions to Avoid (Polymerization): None known.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

Likely Routes Of Exposure: Eyes, skin, ingestion and inhalation.

Acute Oral Toxicity Estimate: 318 mg/kg 1369 mg/kg Acute Dermal Toxicity Estimate: Acute Inhalation Toxicity Estimate No data available

Acute Health Hazard Symptoms:

May cause severe irritation, burns and/or permanent injury. Eyes: Skin: May cause severe irritation, burns and/or tissue damage. Ingestion: May cause irritation, burns to mouth, throat and digestive tract.

Inhalation: May cause irritation, burns to nose, throat and respiratory tract. Prolonged exposure may lead to CNS depression.

Acute Health Hazards: Corrosive to skin, eyes and mucous membranes.

Chronic Health Hazards: Prolonged or repeated exposure has been reported to cause kidney and liver damage based on

animal test data.

Skin Corrosion/Irritation: pH >11.5 Serious Eye Damage/Eye Irritation: pH >11.5

> Page 3 of 4 Effective 5/27/2015

# SAFETY DATA SHEET

ICC 757 Ghost Haze Remover™

Continued

#### SECTION 11: TOXICOLOGICAL INFORMATION - (continued)

Respiratory Or Skin Sensitization: No data available Germ Cell Mutagenicity: No data available Reproductive Toxicity: No data available Specific Target Organ Toxicity Single Exposure: No data available

Specific Target Organ Toxicity Repeated Or Prolonged Exposure: No data available

No data available

Chronic Effects: No data available

Medical Conditions Generally Aggravated By Exposure: No data available

Carcinogenicity: OSHA: No NTP: No IARC: No

#### **SECTION 12: ECOLOGICAL INFORMATION**

No data available.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose in accordance with local, state and federal regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

U.S. Department Of Transportation:

Proper Shipping Name: Hazard Class: ID Number: Packing Group: Label Statement:

UN2920, Corrosive Liquids, Flammable, n.o.s. (contains Sodium Hydroxide and cyclohexonone) Class 8(3), Packing Group II

Emergency Response Guidebook: Guide 132

#### **SECTION 15: REGULATORY INFORMATION**

U.S. Federal Regulations

TSCA: All ingredients listed

CERCLA: RQ - Sodium Hydroxide 1000 lbs., Cyclohexanone 5000 lbs.

SARA TITLE III:

313 REPORTABLE INGREDIENTS: None

HAP's (Hazardous Air Pollutants): Less than 0.004 Lbs/Gallon

California Regulations:

Not applicable Prop 65:

SCAQMD Rule 443: Not photochemically reactive 534 g VOC/Liter or 4.45 Lbs/gallon SCAQMD Rule 443.1: SCAQMD Rule 443.1: Vapor pressure less than 4 mmHg @20°C.

International Regulations: No data available

## **SECTION 16: OTHER INFORMATION**

HMIS Rating: HEALTH: 2 FLAMMABILITY: 2 REACTIVITY: 0

Preparation Information: Prepared by Intercontinental Chemical Corporation on 5/27/2015

Disclaimer: Intercontinental Chemical Corporation believes that the data contained herein are factual, however no warranty, express or implied, is made concerning the accuracy of the information.