

Intercontinental Chemical Corporation

4660 Spring Grove Avenue, Cincinnati, Ohio 45232 * 513-541-7100 * fax 513-541-6880

SAFETY DATA SHEET ICC 786 Ink Degradent™

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: ICC 786 Ink Degradent™

Manufacturer: INTERCONTINENTAL CHEMICAL CORPORATION

Address: 4660 Spring Grove Avenue, Cincinnati, OH USA 45232-1995
Emergency Phone: 513-541-7100 (business hours 8am-5pm Eastern Time)
Chemtrec Phone: 800-424-9300 (after business hours) Ref. CCN 11409

Fax Phone: 513-541-6880
Chemical Family: Solvent Cleaners

Product Use: Cleans screen printing screens from inks

SECTION 2: HAZARDS IDENTIFICATION

DANGER Hazard Category Hazard Classification

Eye Damage / Irritation
 Toxic to Reproduction
 Skin Corrosion / Irritation
 Germ Cell Mutagenicity

3 Specific Target Organ Toxicity (Single Exposure)

4 Acute Toxicity - Inhalation4 Flammable Liquids

PICTOGRAM AND HAZARD STATEMENTS







Causes skin irritation. Harmful if inhaled. May cause respiratory irritation. Combustible liquid. May damage fertility or the unborn child. Suspected of causing genetic defects. Causes serious eye damage.

PREVENTION

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from flames and hot surfaces. No smoking.

Avoid breathing dust, fume, gas, mist, vapors or spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves, clothing and eye or face protection.

RESPONSE

IF ON SKIN: Wash with plenty of water or shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice or attention.

Immediately call a POISON CENTER or doctor if you feel unwell.

If skin irritation occurs: Get medical advice or attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use water spray or type A, B or C extinguisher to extinguish.

STORAGE: Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

DISPOSAL: Dispose in accordance with local, state, and federal regulations.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

ICC 786 is a proprietary product; the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret

 INGREDIENT:
 Dibasic Ester
 Oxaalkylalkanol
 Organic amine
 Cyclohexanone

 CAS NO.:
 1119-40-0
 34590-94-8 *
 872-50-4
 108-94-1

 % WT:
 >50
 <15</td>
 <10</td>
 <5</td>

*"Dipropylene glycol methyl ether" OR "bis-(2-methoxypropyl) ether" OR "DPGME"

SECTION 4: FIRST AID MEASURES

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If on skin or hair: Immediately take off all contaminated clothing. Rinse skin with plenty of water or shower.

If inhaled: Remove person to fresh air and keep comfortable.

If swallowed: Rinse mouth.

Immediately seek medical attention if you feel unwell.

Wash contaminated clothing before reuse.

Absorb spillage to prevent further product contact.

Likely Routes of Exposure: Eyes, skin, inhalation, ingestion

Most Important Symptoms and Effects, Both Acute and Delayed:

May cause eye damage and irritation to skin and respiratory tract. High concentrations or ingestion may cause blurry vision, headache, nausea, CNS depression, digestive tract irritation. Some ingredients separately have shown reproductive, germ cell

mutagenicity, developmental, liver and kidney effects in test animals. May damage fertility or the unborn child.

Acute Health Hazard Symptoms:

Eyes: Irritation with potential blurry vision; stinging, swelling, tearing, redness Skin: May cause irritation; redness, dermatitis, drying & cracking of skin.

Ingestion or Inhalation: Irritation of digestive tract, gastric/intestinal disturbance. May cause irritation, blurring of vision, nausea, headache,

dizziness, drowsiness, reduced coordination, unconsciousness, central nervous system (CNS) depression, upper

respiratory (nose and throat) irritation.

Acute Health Hazards: Skin, eyes and mucous membrane irritant; CNS depressant

Chronic Effects: Prolonged or repeated exposure has been reported to cause liver and kidney damage based on animal test data.

Some ingredients separately have shown reproductive, germ cell mutagenicity, developmental, liver and kidney

effects in test animals.

SECTION 5: FIRE-FIGHTING MEASURES

Flammable Limits in Air, (% by Volume): UPPER: Not determined. LOWER: Not determined.

Flash Point: 195°F. or 90.5°C. Method Used: ASTM D3278 Autoignition Temperature: Not determined.

NFPA 704 Standard: HEALTH: 1 FLAMMABILITY: 2 INSTABILITY: 0

Extinguishing Media: Water spray or class A, B, or C extinguishers

Special Fire Fighting Procedures: No special fire fighting procedures.

Unusual Fire and Explosion Hazards: None known.

Hazardous Decomposition Products: Possibly smoke, carbon monoxide, carbon dioxide, oxides of nitrogen.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Small spills may be wiped, large spills use inert absorbent material.

SECTION 7: HANDLING AND STORAGE

Close containers when not in use; do not contaminate; if stored outdoors, use protective covering. Do not store in standing water. Do not reuse container.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with Exposure Limits:

Oxaalkylalkanol Ingredient: Cyclohexanone CAS NO.: 34590-94-8 * 108-94-1 % WT: <15 <5 OSHA PEL-TWA: 100ppm 25ppm (skin) OSHA PEL-STEL: N.E. 150ppm ACGIH TLV-TWA: 100ppm 20ppm (skin)

ACGIH TLV-STEL: 150ppm 50ppm (skin)

* "Dipropylene glycol methyl ether" OR "bis-(2-methoxypropyl) ether" OR "DPGME"

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION - Continued

Engineering Controls: As required to provide normal air flow. Ventilation: Local exhaust is recommended.

Respiratory Protection: Under normal use conditions a respirator should not be necessary, subject to local plant regulations; however, under

conditions of excessive airborne concentrations, a NIOSH-approved respirator for organic vapors is recommended.

Safety glasses or splash-proof goggles/face shield recommended. Eye Protection: Skin Protection: Chemical resistant gloves; latex or neoprene recommended. Other Protective Gear: Proper apparel to prevent unnecessary exposure to personnel.

Work Hygienic Practices: Normal plant procedures. Wash hands upon leaving work area. Launder clothes before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, near-colorless liquid

Odor: Solvent

Odor threshold: No data available

5 - 6 (10% solution in water) pH:

Melting/freezing point: No data available Initial boiling point and boiling range: No data available

Flash point: 195°F. or 90.5°C. (ASTM D3278)

Evaporation rate (n-butyl acetate = 1): Less than 0.1 Flammability: No data available Upper/lower flammability or explosive limits: No data available

Vapor pressure: Less than 0.3 mmHg @68°F./20°C.

Vapor density (Air = 1): Less than 5

Relative density: 1.04 (8.69 pounds/gallon or 1042 grams/liter)

Partial Solubility:

Partition coefficient; n-octanol water: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available Viscosity: Approximately 3 cps

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable

Reactivity: No data available Conditions to Avoid: Welding arcs, open flame Incompatibility (Material to Avoid): Strong oxidizing agents

Hazardous Decomposition or By-Products: Possibly smoke, carbon monoxide, carbon dioxide, oxides of nitrogen.

Hazardous Polymerization: Cannot occur. Conditions to Avoid (Polymerization): None known

SECTION 11: TOXICOLOGICAL INFORMATION

Likely Routes Of Exposure: Eyes, skin, ingestion and inhalation.

Acute Oral Toxicity Estimate: Greater than 3000 mg/kg Acute Dermal Toxicity Estimate: Greater than 3000 mg/kg Acute Inhalation Toxicity Estimate: No data available

Acute Health Hazard Symptoms:

Irritation with potential blurry vision; stinging, swelling, tearing, redness Eyes: Skin: May cause irritation; redness, dermatitis, drying & cracking of skin.

Ingestion or Inhalation: Irritation of digestive tract, gastric/intestinal disturbances. May cause irritation, blurring of vision, nausea,

headache, dizziness, drowsiness, reduced coordination, unconsciousness, central nervous system (CNS)

depression, upper respiratory (nose and throat) irritation.

Acute Health Hazards: Skin, eyes and mucous membrane irritant; CNS depressant.

No data available Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation: No data available Respiratory Or Skin Sensitization: No data available No data available Germ Cell Mutagenicity: Reproductive Toxicity: No data available Specific Target Organ Toxicity Single Exposure: No data available

Specific Target Organ Toxicity Repeated Or Prolonged Exposure: No data available

Aspiration Hazard: No data available

Chronic Effects: Prolonged or repeated exposure has been reported to cause liver and kidney damage based on animal test data.

Some ingredients separately have shown reproductive, germ cell mutagenicity, developmental, liver and kidney

Effective 5/29/2015

effects in test animals.

ICC 786 Ink Degradent™

Continued

SECTION 11: TOXICOLOGICAL INFORMATION - Continued

Medical Conditions Generally Aggravated by Exposure:

Pre-existing disorders of the eye, skin, liver, kidney, respiratory tract, blood forming system, lung (example:

asthma-like conditions).

Carcinogenicity: OSHA: No NTP: No IARC: No

SECTION 12: ECOLOGICAL INFORMATION

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state and federal regulations.

SECTION 14: TRANSPORT INFORMATION

U.S. Department Of Transportation:

Proper Shipping Name / Hazard Class / ID Number / Packing Group / Label Statement:

ICC 786, no label required

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA: All ingredients listed CERCLA: Cyclohexanone RQ5000

SARA TITLE III:

313 Reportable Ingredients: Organic amine at 10% (upper bound by weight)

HAP's: De minimus

California Regulations:

Prop 65: This product may contain chemicals known to the state of California to cause birth defects or other

reproductive harm.

SCAQMD Rule 443: Not applicable

SCAQMD Rule 443.1: 916 g VOC/Liter or 7.64 pounds/gallon SCAQMD Rule 443.1: Vapor pressure less than 0.3 mmHg @20°C.

International Regulations: No data available

SECTION 16: OTHER INFORMATION

HMIS Rating: HEALTH: 1 FLAMMABILITY: 2 REACTIVITY: 0

Preparation Information: Prepared by Intercontinental Chemical Corporation on 5/29/2015

Disclaimer: Intercontinental Chemical Corporation believes that the data contained herein are factual, however no warranty, express or implied, is made concerning the accuracy of the information.