

Intercontinental Chemical Corporation

4660 Spring Grove Avenue, Cincinnati, Ohio 45232 * 513-541-7100 * fax 513-541-6880

SAFETY DATA SHEET

ICC 928 Spray / Wipe™

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: ICC 928 Spray/Wipe™

Manufacturer: INTERCONTINENTAL CHEMICAL CORPORATION

Address: 4660 Spring Grove Avenue, Cincinnati, OH USA 45232-1995
Emergency Phone: 513-541-7100 (business hours 8am-5pm Eastern Time)
Chemtrec Phone: 800-424-9300 (after business hours) Ref. CCN 11409

Fax Phone: 513-541-6880
Chemical Family: Solventized cleaner

Product Use: Cleans inks from screen printing mesh

SECTION 2: HAZARDS IDENTIFICATION

DANGER Hazard Category Hazard Classification

1 Aspiration Hazard
1B Sensitization - Skin
1B Toxic To Reproduction
2 Skin Corrosion / Irritation

2 Specific Target Organ Toxicity (Single Exposure)

2A Eye Damage / Irritation

3 Specific Target Organ Toxicity (Single Exposure)

3 Flammable Liquids

PICTOGRAM AND HAZARD STATEMENTS







Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. May damage fertility or the unborn child. May cause damage to organs (liver, kidneys, blood-forming system, spleen, lungs, respiratory tract, CNS). Flammable liquid and vapor.

PREVENTION

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, sparks, open flames and hot surfaces. No smoking.

Keep container tightly closed.

Ground or bond container and receiving equipment.

Use explosion-proof electrical, ventilating and lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust, fume, gas, mist, vapors or spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves, clothing, eye and face protection.

RESPONSE

IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash with plenty of water or shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Call a POISON CENTER, doctor or get medical advice or attention.

Call a POISON CENTER or doctor if you feel unwell.

If skin irritation or rash occurs or eye irritation persists: Get medical advice or attention.

Take off contaminated clothing and wash clothing before reuse.

In case of fire: Use water spray or class A, B, or C extinguishers to extinguish.

STORAGE: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

DISPOSAL: Dispose in accordance with local, state and federal regulations.

Page 1 of 4

Effective 8/20/2015

SAFETY DATA SHEET ICC 928 Spray / Wipe™

Continued

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

ICC 928 is a proprietary product; the specific chemical identity and/or exact percentage (concentration)

of composition has been withheld as a trade secret.

Petroleum Glycol Organic

INGREDIENT: Distillates Ethers Amine Terpenes Additives CAS NO.: Proprietary Proprietary 872-50-4 94266-47-4 Proprietary

% WT: >50 >30 <15 <10 <5

SECTION 4: FIRST AID MEASURES

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. If on skin or hair: Immediately take off all contaminated clothing. Rinse skin with plenty of water or shower.

If inhaled: Remove person to fresh air and keep comfortable.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately obtain medical attention if you feel unwell.

Wash contaminated clothing before reuse.

Absorb spillage to prevent further product contact.

Likely Routes of Exposure: Eyes, skin, inhalation and ingestion

Most Important Symptoms and Effects, Both acute And Delayed:

May cause serious eye irritation, may irritate skin with possible allergic reaction; may irritate airways with overexposure; possible results producing headache, dizziness and other effects on specific organs or body areas as listed below on this page. Harmful if swallowed and enters airways; ingestion would likely cause digestive tract irritation.

Acute Health Hazard Symptoms:

Eyes: May cause irritation, stinging, tearing, redness, swelling, tissue injury.

Skin: May cause irritation, drying, burns, defatting, dermatitis, redness, blistering passage, cracking, rash.

Ingestion and Inhalation: Irritation of digestive tract, gastric and intestinal disturbances, nausea, vomiting, diarrhea. May cause irritation (nose,

throat, airways), central nervous system depression, fatigue, coughing, headache, dizziness, weakness, apparent

intoxication, drowsiness, unconsciousness.

Acute Health Hazards: Skin, eyes and respiratory irritant; kidney damage; CNS depressant.

Chronic Effects: One or more components have shown damage to the blood-forming system, kidney, liver, spleen, and noted

reproductive & developmental effects based on laboratory animal tests.

SECTION 5: FIRE-FIGHTING MEASURES

Flammable Limits in Air, (% By Volume): UPPER: Not determined. LOWER: Not determined.

Flash Point: 136°F. or 58°C.

Method Used: ASTM D3278

Autoignition Temperature: No data available

NFPA 704 Standard: HEALTH: 1 FLAMMABILITY: 2 INSTABILITY: 0

Extinguishing Media: Water spray or class A, B, or C extinguishers

Special Fire Fighting Procedures: No special fire fighting procedures.

Unusual Fire and Explosion Hazards: None known.

Hazardous Decomposition Products: May produce smoke, carbon monoxide, carbon dioxide, oxides of nitrogen.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Eliminate all sources of ignition in the vicinity. Small spills may be wiped, large spills use inert absorbent material.

SECTION 7: HANDLING AND STORAGE

Product on floors may be slippery when wet. Do not reuse container. Do not store in standing water. Close containers when not in use; do not contaminate; if stored outdoors, use protective covering. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Components With Exposure Limits: Petroleum distillates:

500 ppm PEL-TWA from OSHA

179 ppm TLV-TWA as GGVmixture from ACGIH

Engineering Controls:

Ventilation:

As required to provide normal air flow.

Local exhaust is recommended.

Page 2 of 4 Effective 8/20/2015

SAFETY DATA SHEET ICC 928 Spray / Wipe™ Continued

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION Continued

Respiratory Protection: Under normal use conditions a respirator should not be necessary, subject to local plant regulations;

however, under conditions of excessive airborne concentrations, a NIOSH-approved respirator for organic

vapors is recommended.

Eye Protection: Splash-proof goggles or face shield recommended.

Skin Protection: Chemical resistant gloves; latex or neoprene recommended.

Other Protective Gear: Proper apparel to prevent unnecessary exposure to personnel.

Work Hygienic Practices: Normal plant procedures. Wash hands upon leaving work area. Launder clothes before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, near-colorless liquid

Odor: Solvent

Odor threshold: No data available pH: No data available Melting/freezing point: No data available

Initial boiling point and boiling range: Greater than 310°F. or 154°C.

Flash point: 136°F. or 58°C. Evaporation rate (n-butyl acetate = 1): Less than 0.2 No data available

Upper/lower flammability or explosive limits: No data available
Vapor pressure: No data available
Less than 0.6 mmHg @68°F./ 20°C.

Vapor density: Less than 3 mmHg @68°F./ 20°C.

Relative density: 0.86 (7.23 pounds/gallon or 866 grams/liter)

Solubility: Partial

Partition coefficient; n-octanol water:

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

No data available

No data available

No data available

Approximately 3 cps

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable Reactivity: Stable Low

Conditions to Avoid: Welding arcs, open flame Incompatibility (Material to Avoid): Strong oxidizing agents

Hazardous Decomposition or By-Products: May produce smoke, carbon monoxide, carbon dioxide, oxides of nitrogen.

Hazardous Polymerization: Cannot occur. Conditions to Avoid (Polymerization): None known.

SECTION 11: TOXICOLOGICAL INFORMATION

Likely Routes Of Exposure: Eyes, skin, ingestion and inhalation.

Acute Oral Toxicity Estimate: Greater than 4000 mg/kg
Acute Dermal Toxicity Estimate: Greater than 2000 mg/kg
Acute Inhalation Toxicity Estimate: No data available

Acute Health Hazard Symptoms:

Eyes: May cause irritation, stinging, tearing, redness, swelling, tissue injury.

Skin: May cause irritation, drying, burns, defatting, dermatitis, redness, blistering passage, cracking or rash.

Ingestion and Inhalation: Irritation of digestive tract, gastric and intestinal disturbances, nausea vomiting, diarrhea. May cause irritation (nose threat airrays) control paragraphs and appropriate traction (nose threat airrays) control paragraphs.

irritation (nose, throat, airways), central nervous system depression, fatigue, coughing, headache, dizziness, weakness, apparent intoxication, drowsiness, unconsciousness.

Acute Health Hazards: Skin, eyes and respiratory irritant; kidney damage; CNS depressant.

Skin Corrosion/Irritation:
Serious Eye Damage/Eye Irritation:
Respiratory or Skin Sensitization:
Germ Cell Mutagenicity:
Reproductive Toxicity:
No data available
No data available
No data available

Specific Target Organ Toxicity Single Exposure: No data available

Specific Target Organ Toxicity Repeated or Prolonged Exposure: No data available

Aspiration Hazard: No data available

Chronic Effects: One or more components have shown damage to the blood-forming system, kidney, liver, spleen, and noted reproductive &

developmental effects based on laboratory animal tests.

Medical Conditions Generally Aggravated By Exposure:

Pre-existing allergies; dermatitis, disorders of the skin, kidney, blood-forming system, eye, lung (for example, asthma-like

conditions).

Carcinogenicity: OSHA: No NTP: No IARC: No

Page 3 of 4 Effective 8/20/2015

SAFETY DATA SHEET ICC 928 Spray / Wipe™

Continued

SECTION 12: ECOLOGICAL INFORMATION

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state and federal regulations.

SECTION 14: TRANSPORT INFORMATION

U.S. Department Of Transportation (Land):

Proper Shipping Name / Hazard Class / ID Number / Packing Group / Label Statement:

ICC 928, no label required

Ground transportation exception under CFR49§173.150 Emergency Response Guidebook: Guide 127

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations

TSCA: All ingredients listed CERCLA: Not applicable.

SARA TITLE III:

313 Reportable Ingredients: Glycol ethers N230 at 35% (upper bound by weight) Organic amine at 15% (upper bound by weight)

HAP's: Less than 2.2 Lbs/Gallon

California Regulations:

PROP 65: This product contains chemicals known to the state of California to cause birth defects or other

reproductive harm.

SCAQMD Rule 443: Not applicable

SCAQMD Rule 443.1: 861 g VOC/Liter or 7.18 pounds/gallon SCAQMD Rule 443.1: Vapor pressure less than 0.6 mmHg @20°C.

International Regulations: No data available

SECTION 16: OTHER INFORMATION

HEALTH: 1 FLAMMABILITY: 2 REACTIVITY: 0 HMIS Rating:

Preparation Information: Prepared by Intercontinental Chemical Corporation on 8/20/15

DISCLAIMER: Intercontinental Chemical Corporation believes that the data contained herein are factual, however no warranty, express or implied, is made concerning the accuracy of the information.

Page 4 of 4

Effective 8/20/2015